

SERVO-METERS

Add-on injectors / replacement kits



Model: 70001104B (Bolts and washers not shown)



Model: 70001104A (Bolts and washers not shown)



Model: 70G01104A (Bolts and washers not shown)



456-138



456-139



456-140

Fittings above are shown attached to housings that have the M5 x 0.8-6h tapped hole on side on unit.



Model: 70E01104B (Bolts and washers not shown)



Standard end cap



Solid end cap



Micro Dial

SERVO-METER KITS FOR SERV-OIL MULTIPLE-POINT INJECTION LUBRICATORS.

Series 710 and 720 **70 0 01 10 4 B - A W**

EXTRA PORTING and MICRO DIAL OPTIONS

- Standard Servo-Meter no options 0
- M5 x 0.8H tapped air hole on breather end of D housing **456-138** brass plug and **SOLID** washers.
- M5 x 0.8H tapped air hole on breather end of E housing **456-139** 90 degree fitting and **SOLID** washers.
- M5 x 0.8H tapped air hole on breather end of F housing **456-140** Straight fitting and **SOLID** washers.
- Micro Dial G
- M5 x 0.8H tapped air hole on breather end of H housing **456-139** 90 degree fitting and **SOLID** washers. Micro Dial.

SERVO-METER RATING

- Half drop 05
- Full drop 10
- Two drops 20

SERVO-METER HOUSING MATERIAL

- Brass housing..... B
- Aluminum housing A
- Nickle plated housing N

PORT TYPE

- NPTF Leave Blank
- BSPP W

OPTIONS (More than one option can be chosen. Add in alphabetical order)

- None (remove dash) Leave Blank
- Servo-meter shutoff A
- Non-shutoff Leave Blank
- Oil end seals (**EPR**) E
- Oil end seals (**Neoprene**) N
- Oil end seals (**Viton**) V
- Oil end seals (**Buna N standard**) Leave Blank

SERVO-METERS

Add-on injectors / replacement kits

SERVO-METER KITS FOR SERV-OIL ELECTRONICALLY CONTROLLED MULTIPLE-POINT INJECTION LUBRICATORS.

Series 7A0

70 0 01 10 4 B - W

EXTRA PORTING and MICRO DIAL OPTIONS

Standard Servo-Meter no options 0
 Micro Dial G

SERVO-METER RATING

Half drop 05
 Full drop 10
 Two drops 20

SERVO-METER HOUSING MATERIAL

Brass housing..... B
 Aluminum housing A
 Nickle plated housing N

PORT TYPE

NPTF Remove '-'
 BSPP W

SERVO-METER KITS FOR AUTOMATION PACS

Series 730

70 0 01 10 4 B - A W

EXTRA PORTING and MICRO DIAL OPTIONS

Standard Servo-Meter no options 0
 M5 x 0.8H tapped air hole on breather end of D housing **456-138** brass plug and **SOLID** washers.
 M5 x 0.8H tapped air hole on breather end of E housing **456-139** 90 degree fitting and **SOLID** washers.
 M5 x 0.8H tapped air hole on breather end of F housing **456-140** Straight fitting and **SOLID** washers.
 Micro Dial G
 M5 x 0.8H tapped air hole on breather end of H housing **456-139** 90 degree fitting and **SOLID** washers. Micro Dial.

SERVO-METER RATING

Half drop 05
 Full drop 10
 Two drops 20

SERVO-METER HOUSING MATERIAL

Brass housing..... B
 Aluminum housing A
 Nickle plated housing N

PORT TYPE

NPTF Leave Blank
 BSPP W

OPTIONS (*More than one option can be chosen. Add in alphabetical order*)

None (*remove dash*) Leave Blank
 Servo-meter shutoff A
 Non-shutoff Leave Blank
 Oil end seals (**EPR**) E
 Oil end seals (**Neoprene**) N
 Oil end seals (**Viton**) V
 Oil end seals (**Buna N standard**)Leave Blank

SERVO-METERS

Add-on injectors / replacement kits

SERVO-METER KITS FOR LIQUID DISPENSERS

Series 740 and 770

70 0 01 10 4 B - A L V W

EXTRA PORTING and MICRO DIAL

OPTIONS

- Standard Servo-Meter no options 0
- M5 x 0.8H tapped air hole on breather end of D housing **456-138** brass plug and **SOLID** washers.
- M5 x 0.8H tapped air hole on breather end of E housing **456-139** 90 degree fitting and **SOLID** washers.
- M5 x 0.8H tapped air hole on breather end of F housing **456-140** Straight fitting and **SOLID** washers.
- Micro Dial G
- M5 x 0.8H tapped air hole on breather end of H housing **456-139** 90 degree fitting and **SOLID** washers. Micro Dial.

PORT TYPE

- NPTF Leave Blank
- BSPP W

OPTIONS

- Oil end seals (**EPR**) Leave Blank
(Add E using other **OPTION**)
- Oil end seals (**Viton**) V

OPTIONS (More than one option can be chosen. Add in alphabetical order)

- None (remove dash) Leave Blank
- Servo-meter shutoff A
- Non-shutoff Leave Blank
- Oil end seals (**EPR**) E

SERVO-METER RATING

- Half drop 05
- Full drop 10
- Two drops 20

SERVO-METER HOUSING MATERIAL

- Brass housing..... B
- Aluminum housing A
- Nickle plated housing N

SERVO-METER KITS FOR JETMASTER LIQUID DISPENSERS

Series 750 and 760

70 0 01 10 5 B - E S V

EXTRA PORTING and MICRO DIAL

OPTIONS

- Standard Servo-Meter no options 0
- M5 x 0.8H tapped air hole on breather end of D housing **456-138** brass plug and **SOLID** washers.
- M5 x 0.8H tapped air hole on breather end of E housing **456-139** 90 degree fitting and **SOLID** washers.
- M5 x 0.8H tapped air hole on breather end of F housing **456-140** Straight fitting and **SOLID** washers.
- Micro Dial G
- M5 x 0.8H tapped air hole on breather end of H housing **456-139** 90 degree fitting and **SOLID** washers. Micro Dial.

OPTIONS

- Oil end seals (**EPR**) Leave Blank
(Add E using other **OPTION**)
- Oil end seals (**Viton**) V

OPTIONS (More than one option can be chosen. Add in alphabetical order)

- None (remove dash) Leave Blank
- Servo-meter shutoff A
- Non-shutoff Leave Blank
- Oil end seals (**EPR**) E

SERVO-METER HOUSING MATERIAL

- Brass housing..... B
- Aluminum housing A
- Nickle plated housing N

SERVO-METER RATING

- Half drop 05
- Full drop 10
- Two drops 20